

## SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 38 ]

NEW DELHI, SATURDAY, SEPTEMBER 26, 1953

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th August, 1953

CHOLERA SMALLPOX PLAGUE

CHOLERA SMALLPOX PLAGUE

C. D. C. D. C. D.

C. D. C. D. C. D.

## STATES PART (A) &amp; PART (C)

## Bihar—contd.

## Ajmer

No incidence.

## Assam

Cachar	.	.	.	—	—	..	..	—	—
Khasi and Jaintia Hills	}	.	.	—	—	..	..	—	..
Naga Hills	.	.	.	—	—	..	..	—	..
Goalpara	.	.	.	..	..	..	..	—	..
Kamrup	.	.	.	..	..	3	4	..	..
Darrang	.	.	.	—	—	—	—	—	—
Nowgong	.	.	.	..	..	..	..	..	..
Sibsagar	.	.	.	—	—	—	—	..	..
Lakhimpur	.	.	.	..	..	—	—	—	—
Sadiya and Frontier Tracts	}	.	.	—	—	..	..	—	..
Garó Hills	.	.	.	—	..	—	..	..	..
TOTAL	.	.	.	—	—	3	4	—	—

(Estd. mid-year pop. 9,488 thousands).

Total for w/e 22-8-53 . . . . . 5 2 . . . . .

Total for w/e 15-8-53 . . . . . 3 2 . . . . .

7-yearly mean for the week . . . . . 7 5 2 1 . . . . .

## Bhopal

TOTAL 10 3 3 .. — —

(Estd. mid-year pop. 850 thousands).

Total for w/e 22-8-53 . . . . . 28 3 .. .. . . .

Total for w/e 15-8-53 . . . . . 9 7 .. .. . . .

7-yearly mean for the week . . . . . 6 4 .. .. . . .

## Bihar

Patna	.	.	.	232	57	—	—	..	—
Gaya	.	.	.	32	13	..	..	—	—
Shahabad	.	.	.	273	139	—	—	..	..
Saran	.	.	.	..	..	—	..	—	..
Champaner	.	.	.	55	33	—	..	..	..
Muzaffarpur	.	.	.	36	12	—	—	—	—

Darbhanga	.	.	.	12	5	..	..	—	—
Monghyr	.	.	.	100	38	—	—	..	..
Bhagalpur	.	.	.	101	49	—	—	..	..
Saharsa	.	.	.	33	13	—	—	..	..
Purnea	.	.	.	..	..	—	..	..	..
Santal Parganas	.	.	.	222	91	..	—	..	..
Hazaribagh	.	.	.	..	..	..	..	..	..
Ranchi	.	.	.	..	..	..	..	..	..
Manbhum	.	.	.	26	12	..	..	..	..
Palamau	.	.	.	3	1	..	..	..	..
Singhbhum	.	.	.	..	—	1	..	..	..
TOTAL	.	.	.	1,125	463	1	..	..	..

(Estd. mid-year pop. 41,076 thousands).

Total for w/e 22-8-53 . . . . . 1,384 647 4 — — ..

Total for w/e 15-8-53 . . . . . 1,317 593 6 2 — ..

7-yearly mean for the week . . . . . 782 380 40 10 1 1

## Bombay

Greater Bombay	.	.	.	8	4	5	..	..	..
Ahmedabad	.	.	.	..	..	—	..	..	..
Kaira	.	.	.	..	..	..	..	..	..
Broach	.	.	.	62	17	3	1	..	..
Panch Mahals	.	.	.	..	—	..	..	..	..
Surat	.	.	.	7	3	—	..	..	..
Tarana	.	.	.	2	2	..	..	..	..
Satara South	.	.	.	123	44	..	..	..	..
Ahmednagar	.	.	.	24	12	..	..	..	..
East Khandesh	.	.	.	71	28	..	—	..	..
West Khandesh	.	.	.	305	122	..	..	..	..
Amreli	.	.	.	..	..	..	..	..	..
Nasik	.	.	.	148	61	..	—	..	..
Poona	.	.	.	251	97	..	..	..	..
Satara North	.	.	.	172	68	..	..	..	..
Sholapur	.	.	.	62	30	..	..	..	..
Sabarkantha	.	.	.	..	..	..	..	..	..
Belgaum	.	.	.	53	22	2	..	..	..

Explanation of Symbols used : C.—Cases : D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th August, 1953—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.	C.	D.						
Bombay—contd.								Madras															
Bijapur	.	22	8	—	—	—	—	Visakhapatnam	.	288	169	1	—	—	—	—	—						
Dharwar	.	—	—	—	—	—	—	Srikakulam	.	10	3	—	—	—	—	—	—						
Kanara	.	—	—	—	—	—	—	East Godavari	.	2,300	1,147	—	—	—	—	—	—						
Ratnagiri	.	5	2	1	—	—	—	West Godavari	.	174	67	2	—	—	—	—	—						
Kolaba	.	—	—	—	—	—	—	Krishna	.	103	43	19	7	—	—	—	—						
Kolhapur	.	83	40	—	—	—	—	Guntur	.	67	27	20	5	—	—	—	—						
Baroda	.	—	—	—	—	—	—	Nellore	.	237	50	—	1	—	—	—	—						
Navsari	.	—	—	—	—	—	—	Cuddappah	.	31	24	1	—	—	—	—	—						
Dangs	.	20	14	—	—	—	—	Kurnool	.	7	4	1	1	—	—	—	—						
Malwan	.	—	—	—	—	—	—	Bellary	.	—	—	—	—	—	—	—	—						
Mehsana	.	—	—	—	—	—	—	Anantapur	.	19	8	11	2	—	—	—	—						
Banasikantha	.	—	—	—	—	—	—	Madras City	.	80	9	4	1	—	—	—	—						
TOTAL		1,418	574	11	1	—	—	Chingleput	.	59	36	—	—	—	—	—	—						
(Estd. mid-year pop. 37,445 thousands.)								Chittoor	.	51	22	9	3	—	—	—	—						
Total for w/e 22-8-53		2,089	799	14	2	—	—	North Arcot	.	9	3	2	—	—	—	—	—						
Total for w/e 15-8-53		2,299	867	16	5	—	—	Salem	.	35	8	—	—	—	—	—	—						
7-yearly mean for the week		136	58	69	12	42	16	Coimbatore	.	81	33	—	—	—	—	—	—						
Goorg								South Arcot								Tanjore							
No incidence.								Tiruchirappalli								Mathurai							
Delhi								Ramnathapuram								Tirunelveli							
No incidence.								Nilgiris								Malabar							
Himachal Pradesh								South Kanara								TOTAL							
No incidence.								(Estd. mid-year pop. 58,610 thousands.)								Total for w/e 22-8-53							
Madhya Pradesh								Total for w/e 15-8-53								7-yearly mean for the week							
Nagpur	.	349	115	—	—	—	—	4,129	1,945	90	27	—	—	—	—	—	—						
Wardha	.	49	19	—	—	—	—	(Estd. mid-year pop. 58,610 thousands.)								Total for w/e 22-8-53							
Chanda	.	302	125	—	—	—	—	Total for w/e 15-8-53								7-yearly mean for the week							
Chhindwara	.	83	35	—	—	—	—	4,157	2,189	67	11	—	—	—	—	—	—						
Betul	.	141	97	—	—	—	—	3,459	1,630	68	20	1	1	—	—	—	—						
Bhandara	.	178	61	—	—	—	—	797	394	253	46	18	6	—	—	—	—						
Jabalpur	.	53	6	—	—	—	—	Manipur								No incidence.							
Sagar	.	—	—	—	—	—	—	Orissa															
Mandla	.	—	—	—	—	—	—	Cuttack	.	25	13	—	—	—	—	—	—						
Hoshangabad	.	—	—	—	—	—	—	Balasore	.	1	1	—	—	—	—	—	—						
Nimar	.	152	52	—	—	—	—	Puri	.	10	4	—	—	—	—	—	—						
Balaghat	.	73	68	—	—	—	—	Sambalpur	.	—	—	1	1	—	—	—	—						
Raipur	.	1	2	1	—	—	—	Rhondmals	.	—	—	—	—	—	—	—	—						
Bilaspur	.	61	32	—	—	—	—	Ganjam Plains	.	55	29	—	—	—	—	—	—						
Durg	.	—	—	1	—	—	—	Ganjam Agency	.	—	—	—	—	—	—	—	—						
Bastar	.	—	—	—	—	—	—	Koraput	.	—	—	4	1	—	—	—	—						
Surguja	.	—	—	—	—	—	—	Keonjhar	.	—	—	—	—	—	—	—	—						
Raigarh	.	—	—	—	—	—	—	Dhenkanal	.	—	—	—	—	—	—	—	—						
Amravati	.	219	86	—	—	—	—	Bolangir Patna	.	—	—	—	—	—	—	—	—						
Yavatmal	.	235	57	—	—	—	—	Sundergarh	.	8	3	—	—	—	—	—	—						
Akola	.	95	36	—	—	—	—	Kalahandi	.	1	—	—	—	—	—	—	—						
Buldana	.	370	112	—	—	—	—	Angul	.	—	—	—	—	—	—	—	—						
TOTAL		2,361	903	2	—	—	—	Mayurbhanj	.	—	—	—	—	—	—	—	—						
(Estd. mid-year pop. 21,724 thousands.)								TOTAL		100	50	5	2	—	—	—	—						
Total for w/e 22-8-53		3,340	1,565	5	1	—	—	(Estd. mid-year pop. 14,849 thousands.)								Total for w/e 22-8-53							
Total for w/e 15-8-53		3,360	1,702	4	1	—	—	Total for w/e 15-8-53								7-yearly mean for the week							
7-yearly mean for the week		434	199	24	5	8	2	56								33							

Explanation of Symbols used : C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th August, 1953—*contd.*

CHOLERA						SMALLPOX						PLAGUE									
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.			
Punjab (B)												Uttar Pradesh—contd.									
Hissar . . . . .				1								Pilibhit . . . . .									
* Rohtak . . . . .												Farrukhabad . . . . .									
Gurgaon . . . . .												Etawah . . . . .	1								
Karnal . . . . .												Kanpur . . . . .	21	12							
Ambala . . . . .				2								Fatehpur . . . . .									
Simla . . . . .												Allahabad . . . . .									
Kangra . . . . .												Jhansi . . . . .	10	3							
Hoshiarpur . . . . .												Jalaun . . . . .	64	41							
Jullundur . . . . .				1	1							Hamirpur . . . . .	13	6							
Ludhiana . . . . .												Banda . . . . .	7	3							
Ferozepur . . . . .												Banaras . . . . .	11	7							
Amritsar . . . . .					2							Mirzapur . . . . .	18	8							
Gurdaspur . . . . .												Jaunpur . . . . .									
												Ghasipur . . . . .	1								
Total . . . . .				4	3							Ballia . . . . .	13	8							
(Estd. mid-year pop. 12,649 thousands.)												Gorakhpur . . . . .									
Total for w/e 22-8-53 . . . . .				6	4							Deoria . . . . .	5	4							
Total for w/e 15-8-53 . . . . .				7	4							Basti . . . . .									
7-yearly mean for the week . . . . .	8	3	2	1								Azamgarh . . . . .	6	1							
Tripura												Nainital . . . . .	2								
Information not received.												Almora . . . . .									
Uttar Pradesh												Garhwal . . . . .									
Chehra Dun . . . . .												Lucknow . . . . .	9	4							
Baharanpur . . . . .												Unao . . . . .	4	9							
Muzaffarnagar . . . . .												Rae Bareilly . . . . .									
Meerut . . . . .	8	6	1									Sitapur . . . . .	8	4							
Fulandshahr . . . . .	16	8										Hardoi . . . . .	52	31							
Aligarh . . . . .												Kheri . . . . .	4	2							
Mathura . . . . .												Faizabad . . . . .									
Agra . . . . .												Gonda . . . . .									
Mainpuri . . . . .			2	1								Bahraich . . . . .	6	3							
Etah . . . . .	1	1										Sultanpur . . . . .									
Barilly . . . . .												Pratapgarh . . . . .									
Bijnor . . . . .	22	9										Bara Banki . . . . .	8	6							
udaun . . . . .			1									Rampur . . . . .	26	15							
Moradabad . . . . .												TOTAL . . . . .	339	191	4	1					
Shahjahanpur . . . . .	3											(Estd. mid.-year pop. 64,826 thousands.)									
												Total for w/e 22-8-53 . . . . .	402	244	4						
												Total for w/e 15-8-53 . . . . .	594	324	4	1					
												7-yearly mean for the week . . . . .	532	262	19	6	14	5			

Explanation of Symbols used; C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th August, 1953—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Vindhya Pradesh</b>								<b>STATES PART (B)</b>							
<b>TOTAL</b>	189	75	—	—	—	—	—	<b>Hyderabad</b>							
(Estd. mid-year pop. 3,630 thousands)								Aurangabad	64	38	—	—	—	—	—
Total for w/e 22-8-53	253	57	—	—	—	—	—	Parbhani	289	148	—	—	—	—	—
Total for w/e 15-8-53	166	44	—	—	—	—	—	Bhir	70	26	—	—	—	—	—
								Gulberga	59	23	—	—	—	—	—
								Raichur	2	1	—	—	—	—	—
								Bidar	523	234	—	—	—	—	—
								Osmanabad	163	85	—	—	—	—	—
								Warrangal	190	65	—	—	—	—	—
								Karimnagar	247	108	—	—	—	—	—
								Adilabad	349	161	—	—	—	—	—
								Nizamabad	53	26	—	—	—	—	—
								Medak	166	87	—	—	—	—	—
								Nalgonda	58	37	—	—	—	—	—
								Mahbubnagar	31	16	—	—	—	—	—
								Hyderabad	8	7	2	—	—	—	—
								Nanded	131	47	—	—	—	—	—
								<b>TOTAL</b>	2,403	1,109	2	—	—	—	—
								<b>Jammu and Kashmir</b>							
								<i>Information not received.</i>							
								<b>Madhya Bharat</b>							
								<i>Information not received.</i>							
								<b>Mysore</b>							
								Bangalore	28	16	4	—	—	—	—
								Chikmagalur	—	—	—	—	—	—	—
								Chitaldrug	—	—	9	2	—	—	—
								Hassan	—	—	—	—	—	—	—
								Kadur	—	—	—	—	—	—	—
								Kolar	19	4	—	—	9	3	—
								Mandya	8	1	—	—	—	—	—
								Mysore	—	—	—	—	—	—	—
								Shimoga	—	—	—	—	—	—	—
								Tumkur	—	—	—	—	—	—	—
								<b>TOTAL</b>	55	21	13	2	11	3	—
								<b>Patiala &amp; East Punjab States Union</b>							
								<b>TOTAL</b>	—	—	5	2	—	—	—
								<b>Rajasthan</b>							
								<i>Information not received.</i>							
								<b>Saurashtra</b>							
								<i>Information not received.</i>							
								<b>Travancore-Cochin</b>							
								<b>TOTAL</b>	60	46	17	1	—	—	—
Total for w/e 22-8-53	11,966	5,652	161	46	—	—	—	<b>Grand Total for States Part (B)</b>							
Total for w/e 15-8-53	11,549	5,333	116	39	1	1	—		2,518	1,176	37	5	11	3	—
1-yearly mean for the week	2,880	1,388	498	102	83	30	—	<b>Grand total for States Parts (A), (B) and (C)</b>							
									12,294	5,425	162	46	11	3	—

Explanation of Symbols used : C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th August, 1953—*conca.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	

# ARREAR INFORMATION

Himachal Pradesh

w/e 22-8-53

No incidence.

Saurashtra

w/e 22-8-53

No incidence.

Bilaspur

1—31 August, 1953

No incidence.

Madhya Bharat

w/e 30-5-53

TOTAL . . . . . 2 2 . . . .

w/e 6-6-53

TOTAL . . . . . 4 2 . . . .

w/e 13-6-53

TOTAL . . . . . 9 1 . . . .

w/e 20-6-53

TOTAL . . . . . 3 1 . . . .

w/e 27-6-53

TOTAL . . . . . 6 . . . .

# POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

Places	Period	Cases
West Bengal	1—15 March 53	5 (Paretic)
"	16—31 " "	{ (Non-Paretic)
"	1—15 April "	4 (Paretic)
"	16—30 " "	2 ( " )
"	1—15 May "	4 ( " )
"	16—31 " "	3 ( " )
"	1—15 June "	2 ( " )
"	16—30 " "	4 ( " )
"	1—15 July "	{ 5 ( " )
"	16—31 " "	4 (Paretic)
Madras	1—15 April ,	{ 13 ( " )
"	16—30 April ,	5 (Non-Paretic)
"	1—15 May ,	{ 1 ( " )
"	16—31 May ,	15 (Paretic)
"	1—15 June ,	{ 16 ( " )
"	16—30 June ,	1 (Non-Paretic)
"	1—15 August ,	{ 12 (Paretic)
"	"	1 (Non-Paretic)
"	"	17 (Paretic)
"	"	{ 7 ( " )
"	"	1 (Non-Paretic)
Uttar Pradesh	1—15 August ,	1 (Paretic)

Explanation of Symbols used : C.—Cases ; D.—Deaths.

NEW DELHI-3 (INDIA) ; }  
The 21st September, 1953. }

K. MITRA,  
for Registrar General, India.

## TODAY'S BEST INVESTMENT FOR SMALL SAVERS

## NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of Income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

## TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the  
29th August, 1953

Deaths from:—

Town	Mid-year 1953 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D. R.*	I.D.
STATES—(Parts A and O)													
Ajmer													
Assam													
Return not received.													
Silchar	38	12	15.1	..	..	..	3	1	2	..	8	10.9	1
Gauhati	47	7	7.8	..	..	..	3	..	..	..	5	5.5	1
Dibrugarh	41	6	7.6	..	..	..	1	..	..	..	1	1.3	..
TOTAL	126	25	10.3	..	..	..	7	1	2	..	14	5.8	2
Bhopal } Bihar }													
Return not received.													
Bombay													
Ahmedabad	832	870	54.4	..	..	..	20	30	157	..	487	30.3	117
Ahmednagar	84	53	32.8	..	..	..	4	6	8	..	40	24.8	9
Amalner	47	41	46.4	..	..	..	12	2	1	..	19	21.0	4
Bagalkot	34	25	23.5	..	..	..	1	1	1	1	13	11.9	3
Baroda	225	196	45.3	..	..	..	32	4	7	1	78	18.0	17
Barai	44	24	23.8	3	..	..	4	2	2	1	27	31.9	4
Belgaum	105	79	39.1	..	..	..	3	2	6	..	55	27.2	11
Bhusawal	57	58	52.9	..	..	..	12	2	3	..	28	25.4	3
Bijapur	70	41	30.4	..	..	..	5	2	2	..	19	14.1	3
Broach	65	62	49.6	..	..	..	7	1	3	..	22	17.6	2
Cambay†													
Challagaoon	32	21	34.1	..	..	..	2	1	..	..	6	9.7	1
Dharwar†													
Dhulia	82	36	24.3	3	..	..	10	2	3	1	28	18.9	4
Gadag-Betgeri	68	48	35.9	..	..	..	6	..	7	..	28	21.4	..
Godhra	40	40	52.0	..	..	..	6	..	..	..	8	10.4	..
Greater Bombay	3,106	1,905	31.9	2	..	..	6	80	386	3	892	14.9	257
Hubli	137	52	19.7	..	..	..	..	1	1	..	6	2.3	..
Jalgaon	73	34	24.2	1	..	..	3	1	6	1	21	15.0	3*
Kalyan†													
Kolhapur	147	112	39.8	..	..	..	1	2	3	..	39	13.8	6
Nandurbar	32	17	27.6	7	..	..	1	3	6	..	24	39.0	4
Malegaon†													
Miraj	42	32	39.6	1	..	..	2	1	1	..	15	18.6	2
Nadiad	66	59	46.0	..	..	..	4	..	4	..	33	25.7	14
Nasik	107	54	26.2	..	..	..	3	2	2	..	31	15.0	7
Navasari	47	51	56.7	..	..	..	4	..	1	..	10	11.6	1
Pandharpur	42	20	24.8	..	..	..	4	7	5	..	26	32.2	10
Patan†													
Poona	539	282	27.2	1	..	..	7	3	1	..	25	28.4	4
Sangli	54	36	34.7	4	..	..	3	17	37	3	218	21.0	60
Satara	39	37	49.3	..	..	..	6	4	2	..	25	24.1	4
Sholapur	281	256	47.3	1	..	..	3	1	..	..	12	16.0	..
Surat	235	172	38.1	..	..	..	20	39	71	1	226	41.8	47
Thana†													
TOTAL	6,777	4,774	36.2	23	..	..	208	220	741	12	2,552	19.6	625
Delhi State													
Delhi City	1,000	803	41.5	..	..	..	128	22	50	3	290	14.9	85
New Delhi	319	373	60.8	..	..	..	11	3	18	2	61	9.9	20
TOTAL	1,325	1,176	46.1	..	..	..	139	25	68	5	351	13.8	105

\*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

\*Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 29th August, 1953—*contd.*

Town	Mid-year 1953			Deaths from :—										Total	D.R.*	I.D.	
	Popn. Est.	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
Madhya Pradesh																	
Achalpur	.	.	.	.	37	52	73.1	0	—	—	4	0	3	—	34	47.8	..
Akola	.	.	.	.	96	96	52.0	..	—	—	11	20	—	1	79	42.8	10
*Amravati†																	
Bilaspur	.	.	.	.	39	41	54.7	13	—	—	5	1	..	..	43	57.3	16
Burhanpur†																	
Chanda†																	
Gondia†																	
Jabalpur†																	
Khandwa†																	
Raipur	.	.	.	.	96	18	9.7	—	..	..	5	2	..	—	7	3.8	..
Yotmal	.	.	.	.	38	42	57.5	16	..	..	1	1	3	1	33	45.2	4
TOTAL	.	.	.	.	306	249	42.3	35	..	..	26	30	0	2	196	33.3	30
Madras																	
Adoni†																	
Ambur†																	
Anantapur	.	.	.	.	34	37	56.6	..	..	—	3	2	3	2	20	30.6	4
Anakapalle	.	.	.	.	43	53	64.1	..	—	—	2	..	6	..	24	29.0	4
Aruppukottai	.	.	.	.	52	31	31.0	..	..	—	0	2	..	1	20	20.0	3
Bellary†																	
Bhimavaram	.	.	.	.	33	24	37.8	1	..	—	2	2	..	—	8	12.6	2
Bodinayakanur	.	.	.	.	38	26	35.6	..	..	—	1	1	—	—	9	12.3	4
Cannanore	.	.	.	.	44	29	34.3	—	..	—	4	2	2	..	19	22.4	2
Chirala	.	.	.	.	40	22	28.0	..	..	..	7	..	1	..	17	22.1	2
Chidambaram	.	.	.	.	37	38	53.4	..	..	—	..	..	3	1	22	30.9	4
Chittoor	.	.	.	.	41	33	41.8	—	—	—	1	..	2	..	13	16.6	1
Coimbatore†																	
Cochin Fort	.	.	.	.	31	34	57.0	..	..	—	..	6	1	..	13	21.8	4
Cuddalore	.	.	.	.	71	72	52.7	..	..	..	..	3	4	1	19	13.9	5
Cuddappah†																	
Dindigul	.	.	.	.	84	64	39.6	..	..	..	2	6	—	..	28	17.3	3
Eluru	.	.	.	.	92	63	35.6	2	..	..	2	4	5	1	54	30.5	7
Erode	.	.	.	.	62	54	45.3	1	—	—	4	4	9	..	40	33.5	5
Gobichetty Palayam	.	.	.	.	34	15	22.9	—	..	..	..	..	1	1	7	10.7	1
Guddiyattam	.	.	.	.	49	35	37.1	..	—	—	5	4	3	..	28	29.7	11
Gudivada	.	.	.	.	34	41	62.7	2	2	—	1	1	5	..	21	32.1	6
Guntur	.	.	.	.	135	138	53.1	..	..	..	6	7	6	2	59	22.7	11
Guntakal	.	.	.	.	34	29	44.3	..	..	..	5	3	2	..	20	30.6	3
Hospet	.	.	.	.	42	21	26.0	..	..	..	3	6	3	..	17	21.0	3
Kurnool	.	.	.	.	64	71	57.7	..	..	..	6	4	3	..	27	21.9	2
Kancheepuram	.	.	.	.	87	75	44.8	..	..	..	6	2	15	..	57	34.1	15
Karaikudi	.	.	.	.	41	29	36.8	..	..	..	..	1	..	..	10	12.7	3
Karur	.	.	.	.	40	25	28.3	..	..	..	1	1	3	..	28	31.6	6
Kozhikode	.	.	.	.	166	121	37.9	..	..	..	11	14	7	..	120	37.6	22
Kumbakonam	.	.	.	.	97	103	55.2	..	..	..	5	6	2	..	42	22.6	10
Madras	.	.	.	.	1,542	1,353	52.0	9	1	..	115	147	219	5	890	30.0	168
Mangalore	.	.	.	.	126	108	44.6	..	..	..	10	12	10	..	88	36.3	12
Masulipatnam	.	.	.	.	82	106	67.3	—	1	—	4	6	4	..	43	27.8	14
Mathurai	.	.	.	.	390	427	56.9	..	—	—	18	11	53	5	220	29.3	40
Mayuram	.	.	.	.	46	73	82.6	..	..	..	1	1	1	..	19	21.7	1
Melapalayam	.	.	.	.	39	13	17.4	1	..	—	1	1	4	..	11	14.9	1
*Nagapattinam	.	.	.	.	59	51	44.9	..	2	..	4	5	..	..	35	30.8	8
Nandiyal	.	.	.	.	35	30	44.6	..	1	..	1	4	6	1	28	41.6	4
Nellore	.	.	.	.	87	91	54.4	5	..	..	8	..	4	1	46	27.5	6
Ootacamund	.	.	.	.	44	25	29.5	..	..	—	..	..	7	..	12	14.4	1
Proddatur	.	.	.	.	39	36	48.0	..	—	—	1	..	2	1	11	14.7	1
Palayamkottai	.	.	.	.	42	28	34.6	..	..	..	4	2	1	..	19	23.7	3
Palghat	.	.	.	.	73	62	44.2	..	..	..	3	1	6	1	28	19.9	2
Periyakulam	.	.	.	.	32	28	45.5	..	..	..	..	2	6	..	15	24.4	1
Pollachi	.	.	.	.	46	32	36.3	..	..	..	7	2	2	..	28	31.7	5
Pudukottai	.	.	.	.	47	51	56.5	..	..	..	2	2	2	..	14	15.8	..
Rajamundry	.	.	.	.	112	73	33.9	3	..	..	1	5	..	..	23	10.7	5
Rajapalayam	.	.	.	.	64	46	37.4	..	..	..	5	4	1	..	19	15.4	1
Salem	.	.	.	.	219	114	27.0	..	..	..	8	6	5	1	69	16.4	11

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Deaths Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 29th August, 1953

Town		Mid-year 1953 Popn. Est. (000)	Deaths from :—											Total	D. R.*	I.D.	
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																	
Ajmer																	
Assam																	
Return not received.																	
Silchar	.	.	.	.	38	12	15.1	..	..	..	3	1	2	..	8	10.9	1
Gauhati	.	.	.	.	47	7	7.8	..	..	..	3	..	..	..	5	5.5	1
Dibrugarh	.	.	.	.	41	6	7.6	..	..	..	1	..	..	..	1	1.3	..
TOTAL	.	.	.	.	126	25	10.3	..	..	..	7	1	2	..	14	5.8	2
Bhopal } Bihar }																	
Return not received.																	
Bombay																	
Ahmedabad	.	.	.	.	832	870	54.4	..	..	..	20	30	157	..	487	30.3	117
Ahmednagar	.	.	.	.	84	53	32.8	..	..	..	4	6	8	..	40	24.8	9
Amalner	.	.	.	.	47	41	46.4	.	..	..	12	2	1	..	19	21.0	4
Bagalkot	.	.	.	.	34	25	23.5	..	..	..	1	1	1	1	13	11.9	3
Baroda	.	.	.	.	225	196	45.3	..	..	..	32	4	7	1	78	18.0	17
Barsi	.	.	.	.	44	24	23.8	3	..	..	4	2	2	1	27	31.9	4
Belgaum	.	.	.	.	105	79	39.1	..	..	..	3	2	6	..	55	27.2	11
Bhusawal	.	.	.	.	57	58	52.9	..	..	..	12	2	3	..	28	25.4	3
Bijapur	.	.	.	.	70	41	30.4	..	..	..	5	2	2	..	19	14.1	3
Broach	.	.	.	.	65	62	49.6	..	..	..	7	1	3	..	22	17.6	2
Cambay†	.	.	.	.	32	21	34.1	..	..	..	2	1	..	..	6	9.7	1
Chalisgaon	.	.	.	.	32	21	34.1	..	..	..	2	1	..	..	6	9.7	1
Dharwar†	.	.	.	.	82	36	24.3	3	..	..	10	2	3	1	28	18.9	4
Dhulia	.	.	.	.	68	48	35.9	..	..	..	6	..	7	..	28	21.4	..
Gadag-Betgeri	.	.	.	.	68	48	35.9	..	..	..	6	..	7	..	28	21.4	..
Godhra	.	.	.	.	40	40	52.0	..	..	..	6	..	..	..	8	10.4	..
Greater Bombay	.	.	.	.	3,106	1,905	31.9	2	..	..	6	80	386	3	892	14.9	257
Hubli	.	.	.	.	137	52	19.7	..	..	..	..	1	1	..	6	2.3	..
Jalgaon	.	.	.	.	73	34	24.2	1	..	..	3	1	6	1	21	15.0	3
Kalyan†	.	.	.	.	147	112	39.8	..	..	..	1	2	3	..	39	13.8	6
Kolhapur	.	.	.	.	147	112	39.8	..	..	..	1	2	3	..	39	13.8	6
Nandurbar	.	.	.	.	32	17	27.6	7	..	..	1	3	6	..	24	39.0	4
Malegaon†	.	.	.	.	42	32	39.6	1	..	..	2	1	1	..	15	18.6	2
Miraj	.	.	.	.	42	32	39.6	1	..	..	2	1	1	..	15	18.6	2
Nadiad	.	.	.	.	66	59	46.0	..	..	..	4	..	4	..	33	25.7	14
Nasik	.	.	.	.	107	54	26.2	..	..	..	3	2	2	..	31	15.0	7
Navasari	.	.	.	.	47	51	56.7	..	..	..	4	..	1	..	10	11.6	1
Pandharpur	.	.	.	.	42	20	24.8	..	..	..	4	7	5	..	26	32.2	10
Patan	.	.	.	.	45	61	70.4	..	..	..	7	3	1	..	25	28.4	4
Poona	.	.	.	.	539	282	27.2	1	..	..	3	17	37	3	218	21.0	60
Sangli	.	.	.	.	54	36	34.7	4	..	..	6	4	2	..	25	24.1	4
Satara	.	.	.	.	39	37	49.3	..	..	..	3	1	..	..	12	16.0	..
Sholapur	.	.	.	.	281	256	47.3	1	..	..	20	39	71	1	226	41.8	47
Surat	.	.	.	.	235	172	38.1	..	..	..	17	4	15	..	91	20.1	28
Thana†	.	.	.	.	235	172	38.1	..	..	..	17	4	15	..	91	20.1	28
TOTAL	.	.	.	.	6,777	4,774	36.2	23	..	..	208	220	741	12	2,552	19.6	625
Delhi State																	
Delhi City	.	.	.	.	1,006	803	41.5	..	..	..	128	22	50	3	290	14.9	85
New Delhi	.	.	.	.	319	373	60.8	..	..	..	11	3	18	2	61	9.9	20
TOTAL	.	.	.	.	1,325	1,176	46.1	..	..	..	139	25	68	5	351	13.8	105

\*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.  
†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.—Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths).



Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 29th August, 1953—*contd.*

Town	Mid.-year Popn. Est. 000	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Ghaziabad	42	40	49.7	..	..	..	5	..	1	..	14	17.4	5		
Ghaziipur	35	30	44.7	..	..	..	4	..	3	..	14	20.9	1		
Gonda	34	36	55.2	..	..	..	3	..	1	..	12	18.4	5		
Gorakhpur	131	101	40.2	..	..	..	7	9	2	1	31	12.3	8		
Hapur	46	42	47.6	..	..	..	12	4	..	..	20	22.7	11		
Hardwar	60	43	37.4	..	..	..	18	3	2	..	30	26.1	5		
Bathras	69	93	82.2	..	..	..	33	10	6	1	57	50.4	21		
Jaunpur	54	40	38.6	..	..	..	5	..	5	..	17	16.4	2		
Jhansi	111	112	52.6	..	..	..	38	6	3	..	67	31.5	24		
Kanpur	680	434	33.3	..	..	..	118	27	40	8	322	24.7	98		
Kasganj	33	..	..	..	..	..	2	..	2	..	5	7.9	2		
Khurja	40	45	58.7	..	..	..	2	..	5	..	17	22.2	7		
Koll-Allahgarh	143	83	30.3	..	..	..	11	3	3	..	35	12.8	15		
Lucknow	467	509	56.8	..	..	..	35	14	28	1	163	18.2	53		
Mathura	104	115	57.7	..	..	..	14	4	3	..	28	14.0	13		
Mau-Nath Bhanjan†	..	..	..	..	..	..	..	..	..	..	..	..	..		
Meerut	172	110	33.3	..	..	..	7	4	9	..	24	7.3	6		
Mirzapur-Vindhyachal	92	68	38.5	..	..	..	14	6	3	..	37	21.0	15		
Moradabad	160	140	45.6	..	..	..	24	9	6	1	60	19.6	20		
Muzaffarnagar	68	46	35.3	..	..	..	6	..	..	1	14	10.7	4		
Pilibhit	45	47	54.5	..	..	..	2	..	2	..	13	15.1	5		
Rampur	145	26	9.3	7	..	..	10	2	7	..	32	11.5	2		
Saharanpur	151	153	52.8	..	..	..	56	4	2	..	72	24.9	32		
Sambhal	63	66	54.6	..	4	..	27	6	5	..	49	40.6	12		
Shahjahanpur	99	92	48.5	..	..	..	18	5	5	..	33	17.4	9		
Sitapur	47	45	49.9	..	..	..	3	..	..	..	9	10.0	2		
TOTAL	4,938	4,066	42.9	7	4	..	640	180	266	17	1,843	19.5	571		
West Bengal															
Return not received.															
STATES—(Part B)															
Returns not received.															
Jammu & Kashmir															
Madhya Bharat															
Mysore State															
Bangalore City	862	513	30.3	..	1	..	4	42	53	..	232	16.4	..		
Davanagere	62	57	56.1	..	..	..	1	1	1	..	12	11.8	..		
Kolar Gold Fields†	..	..	..	..	..	..	..	..	..	..	..	..	..		
Mysore City	266	124	24.2	..	..	..	15	9	4	..	71	13.9	..		
TOTAL	1,190	694	30.3	..	1	..	20	52	58	..	315	13.8	..		
PEPSU															
Patiala City	103	74	38.4	..	..	..	18	3	2	..	50	25.2	20		
Malerkotla	33	14	22.1	..	..	..	7	..	..	..	10	15.7	4		
Bhatinda	36	29	41.9	..	..	..	4	..	1	..	5	7.2	2		
TOTAL	172	117	35.4	..	..	..	29	3	3	..	65	19.7	26		
Rajasthan															
Alwar	59	68	59.9	..	..	..	4	2	..	..	11	9.7	1		
Bharatpur	39	27	39.6	..	..	..	14	1	2	2	19	23.3	8		
Bikaner	117	48	11.3	..	..	..	4	3	9	..	25	11.1	5		
Churu	44	2	2.4	..	..	..	..	..	..	..	..	..	..		
Ganganagar	41	3	3.8	..	..	..	2	..	..	..	3	3.8	..		
Tonk	44	9	10.6	..	..	..	2	..	1	..	3	3.5	..		
Sikar	47	11	12.2	..	..	..	6	..	4	1	15	16.6	..		
Jaipur	318	122	19.9	1	..	..	40	13	..	1	100	16.4	53		
Udaipur	97	8	4.3	..	..	..	3	..	4	..	7	3.8	2		
Kotah	67	17	13.2	..	..	..	11	1	1	1	16	12.4	2		
TOTAL	872	315	18.8	1	..	..	86	20	21	5	199	11.9	71		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 29th August, 1953—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
ARREAR RETURNS																
Saurashtra		For w/e the 15th August, 1953														
Bhavnagar . . . .	146	104	37.0	..	..	..	31	8	3	..	70	14.9	11			
Dhoraji . . . .	45	30	34.7	..	..	..	3	2	1	..	9	10.4	2			
Gondal†																
Jamnagar . . . .	112	50	26.0	—	..	..	21	4	6	1	49	22.8	18			
Junagadh . . . .	64	37	30.1	..	..	..	7	3	5	—	31	25.2	10			
Morvi . . . .	42	19	23.5	..	..	..	4	1	2	..	7	8.7	2			
Porbandar . . . .	61	34	29.0	..	..	..	19	3	3	..	33	28.1	14			
Rajkot . . . .	147	85	30.1	..	..	..	18	5	8	3	50	17.7	18			
Trendranagar . . . .	38	1	1.4	..	..	..	1	..	..	..	3	4.2	..			
Surval . . . .	43	7	8.5	..	..	..	1	1	1	..	6	7.3	2			
TOTAL . . . .	698	373	27.8	..	..	..	106	27	29	4	258	19.2	77			
.																
Travancore-Cochin		For w/e the 15th August, 1953														
Alleppey . . . .	130	22	5.8	—	..	..	1	1	1	..	17	6.8	3			
Changanacherry . . . .	38	6	8.2	..	..	..	..	1	..	..	2	2.7	..			
Ernakulam . . . .	66	45	35.5	..	..	..	3	1	1	..	14	11.0	2			
Kottayam . . . .	47	26	28.8	..	—	..	1	1	3	1	14	15.5	2			
Mattancherry . . . .	78	30	20.0	..	—	..	1	..	—	..	10	6.7	1			
Nagercoil . . . .	86	23	13.9	..	..	..	2	—	..	..	5	3.0	2			
Quilon . . . .	70	51	37.0	..	..	..	..	1	5	..	11	8.2	2			
Trichur . . . .	73	68	48.5	..	..	..	1	3	1	..	12	8.5	2			
Trivandrum City . . . .	201	128	33.1	—	..	..	7	9	6	—	46	11.9	2			
TOTAL . . . .	789	399	26.3	—	—	..	16	17	17	1	131	8.6	16			
West Bengal		For w/e the 8th August, 1953														
Asansol . . . .	80	5	3.3	1	..	..	..	..	..	..	3	2.0	..			
Baidyabati . . . .	32	14	22.8	..	..	..	..	1	1	..	9	14.7	6			
Bally . . . .	63	5	4.1	..	—	—	2	..	2	—	7	5.8	—			
Bankura . . . .	49	8	8.5	..	..	..	1	2	..	..	9	9.6	..			
Baranagar . . . .	83	34	21.4	..	..	—	5	5	5	..	21	13.2	..			
Basirhat . . . .	37	7	9.9	2	..	..	..	..	2	..	5	7.0	..			
Berhampur . . . .	59	34	30.0	..	..	—	6	4	..	—	24	21.2	4			
Bhadrabad . . . .	33	5	7.9	..	—	—	1	1	3	..	7	11.0	2			
Bhatpara . . . .	138	30	11.3	..	—	..	13	5	1	..	50	18.9	22			
Budge-Budge . . . .	32	1	1.6	..	—	—	..	1	..	—	1	1.6	..			
Burdwan . . . .	78	17	11.4	3	..	—	1	6	1	2	18	12.0	..			
Calcutta . . . .	2,825	1,210	22.3	10	1	..	81	100	141	4	723	13.3	207			
Chandani . . . .	39	12	16.0	..	..	..	—	..	—	—	3	4.0	—			
English-Bazar†																
Garden Reach . . . .	116	10	4.5	1	..	..	4	2	3	—	15	6.7	6			
Halisahar . . . .	38	4	5.5	..	..	..	—	..	..	..	2	2.7	..			
Hooghly-Chinsura . . . .	58	85	76.4	..	—	..	5	2	2	..	20	18.0	9			
Howrah . . . .	458	198	22.5	9	..	—	7	30	36	..	168	19.1	63			
Jalpaiguri†																
Kamarhati†																
Kanchrapara . . . .	64	16	13.0	—	—	—	..	1	..	..	3	2.4	—			
Krishnagar . . . .	52	2	2.0	..	..	..	..	..	..	..	..	..	—			
Midnapore . . . .	44	20	33.2	..	..	..	2	4	1	..	8	9.5	—			
Nabadwip . . . .	62	24	20.2	..	..	..	11	3	5	..	19	16.0	..			
Naihati . . . .	58	9	8.1	..	..	..	2	..	1	..	8	7.2	2			
North Barrackpore . . . .	34	3	11.8	..	..	..	..	1	..	..	3	11.8	1			
Panhati . . . .	58	3	2.7	..	..	..	..	..	..	..	2	1.8	..			
Shantipur . . . .	46	10	11.3	—	—	—	2	..	..	..	3	3.4	..			
Serampore . . . .	78	28	18.7	..	..	..	6	7	..	..	27	18.0	..			
Siliguri . . . .	37	3	4.2	..	..	..	..	—	..	..	2	2.8	..			
South Dum-Dum . . . .	71	2	1.5	..	..	..	..	2	..	..	2	1.5	..			
South Suburban . . . .	112	24	11.2	3	..	..	2	4	5	..	19	8.8	5			
Titagarh . . . .	74	41	28.9	..	..	..	15	..	5	2	22	15.5	3			
TOTAL . . . .	5,008	1,864	19.3	29	1	..	166	187	214	8	1,203	12.4	330			

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.  
†Figures not available.  
Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 29th August, 1953—*concl'd.*

Town	Mid.-year Popul. Est. (000)	B.	B.R.*	Deaths from—									Total	D.R.*	I.I.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar				For w/e the 25th July, 1953											
Arrah . . . . .	68	3	2.3	4	..	..	3	1	..	..	10	7.7	..		
Arrah . . . . .	37	22	30.9	..	..	..	1	..	..	..	8	11.2	1		
Arrah . . . . .	65	13	10.4	..	..	..	6	..	..	..	9	7.2	..		
Arrah†															
Arrah†	88	26	15.4	..	..	..	2	..	..	..	9	5.3	..		
Arrah†	45	6	8.4	6	..	..	1	6	..	..	17	23.9	..		
Arrah†	37	15	21.1	..	..	..	..	1	..	..	2	2.8	..		
Arrah†	141	33	12.2	15	..	..	28	15	14	..	94	34.7	..		
Arrah†	45	4	4.6	3	..	..	2	..	..	..	5	5.8	..		
Arrah†	232	100	22.4	..	..	..	2	..	2	..	11	2.5	3		
Arrah†	73	9	6.2	2	..	..	3	..	..	..	5	3.4	..		
Arrah†	79	9	5.9	..	..	..	3	..	..	..	5	3.3	..		
Arrah†	302	73	11.8	..	..	..	4	1	4	..	21	3.4	..		
Arrah†	118	3	1.3	..	..	..	..	..	..	..	2	0.9	..		
Arrah†	44	4	4.7	..	..	..	2	..	..	..	2	2.4	..		
Arrah†	46	9	10.2	..	..	..	2	..	..	..	5	5.7	..		
TOTAL	1,423	329	12.0	30	..	..	59	24	20	..	205	7.4	4		
.															
Madhya Bharat				For w/e the 8th August, 1953											
Arrah†	255	50	10.1	..	..	..	7	1	2	..	29	5.9	2		
Arrah†	336	175	27.0	..	..	..	43	13	10	1	140	21.6	41		
Arrah†	141	49	18.0	..	..	..	20	4	23	..	58	21.3	11		
Arrah†	68	26	19.8	1	..	..	6	1	13	..	29	22.1	6		
TOTAL	800	300	19.5	..	1	..	76	19	48	1	256	16.6	60		
.															
Bhopal				For w/e the 15th August, 1953											
Bhopal . . . . .	108	40	19.3	..	..	..	5	3	2	..	23	11.1	..		
.															
Bhopal				For w/e the 22nd August, 1953											
Bhopal . . . . .	108	40	19.3	..	..	..	..	2	1	..	8	3.9	..		
.															
Assam				For w/e the 8th August, 1953											
Shillong . . . . .	57	37	33.8	..	..	..	..	2	2	..	6	5.5	4		
Gauhati . . . . .	47	6	6.6	..	..	..	7	1	..	..	13	14.4	1		
Dibrugarh . . . . .	41	6	7.6	..	..	..	..	1	..	..	1	1.3	..		
Silchar . . . . .	38	15	21.1	..	..	..	..	3	..	..	5	6.8	..		
TOTAL	183	64	18.2	..	..	..	7	7	2	..	25	7.1	5		
Shillong w/e 1-8-53	57	15	13.7	..	..	..	..	..	..	..	5	4.6	4		
.															
Madhya Pradesh				For w/e the 15-8-53											
Gondia w/e 15-8-53	41	37	46.9	..	..	..	5	1	..	..	8	10.1	1		

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rates; I.I.=Infantile Deaths (included in total deaths).

## REMARKS

The figures of births and deaths shown in this statement for week ending the 29th August 1953, relate to 171 towns with an estimated population of 22,978 thousands. The total number of towns is 296 and their population is 36,140 thousands. Thus 58% of the total number of towns representing 64% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 17,444 and 8,714 representing birth and death rates of 39.5 and 19.7 per thousand of population respectively.

(A) States (Parts A & C) :—The data here relate to 155 towns with an estimated population of 20,744 thousands. Information about Ajmer Bihar Orissa and West Bengal could not be included. The total number of towns is 250 and their population is 30,790 thousands. Thus 62% of the total number of towns representing 67% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,318 and 8,135 representing

birth and death rates of 40.9 and 20.4 per thousand of population respectively. The table at the end gives the position by States.

Bilaspur in Madhya Pradesh was the only town which recorded a high death rate of 57.3 per thousand of population and this high death rate was mainly due to deaths from Cholera.

(B) States (Part B) :—The data here relate to 16 towns with an estimated population of 2,234 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 35% of total number of towns representing 42% of total population is covered. The numbers of births and deaths recorded in these towns were 1,126 and 579 representing birth and death rates of 26.2 and 13.5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 29-8-53		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Bombay . . .	36.2	19.6	34.8	19.6	37.7	21.1
Delhi . . .	46.1	13.8	33.1	10.9	50.8	16.3
Madhya Pradesh . . .	42.3	33.3	42.0	24.4	42.1	24.8
Madras . . .	44.1	25.1	46.2	23.1	48.8	26.8
Punjab (I) . . .	40.5	12.7	39.7	14.8	31.7	13.5
Uttar Pradesh . . .	42.9	19.5	39.2	22.6	43.5	23.4
India (only States Parts A & C)	40.9	20.4	39.0	20.5	38.9	21.0

NEW DELHI, 2 (INDIA) ; }  
The 21st September, 1953. }

K. MITRA,  
for Registrar General, India.